ELSEVIER

Neuroscience Letters 285 (2000) 239–242

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 285

Abe, H., see Mori, F., 57
Agostino, R., Cruccu, G., Iannetti, G., Romaniello, A., Truini, A., Manfredi, M., Topographical distribution of pinprick and warmth thresholds to CO_2 laser stimulation on the human skin, 115
Ahmad, F., see Yang, Y., 119
Ahveninen, J., Jääskeläinen, I.P., Pekkonen, E., Hallberg, A., Hietanen, M., Näätänen, R., Sillanaukee, P., Global field power of auditory N1 correlates with impaired verbal-memory performance in human alcoholics, 131
Alves da Costa, C., see Ancolio, K., 79
Ancolio, K., Alves da Costa, C., Uéda, K., Checler, F., α-Synuclein and the Parkinson's disease-related mutant Ala53Thr-α-synuclein do not undergo proteasomal degradation in HEK293 and neuronal cells, 79
Andreasen, N., see Vanmechelen, E., 49
Aoki, K., see Kikuchi, M., 181

Baker, M., Graff-Radford, D., Wavrant DeVrièze, F., Graff-Radford, N., Petersen, R.C., Kokmen, E., Boeve, B., Myllykangas, L., Polvikoski, T., Sulkava, R., Verkoniemmi, A., Tienari, P., Haltia, M., Hardy, J., Hutton, M., Perez-Tur, J., No association between TAU haplotype and Alzheimer's disease in population or clinic based series or in familial disease, 147
Barkhof, F., see Rombouts, S.A.R.B., 231
Başar, E., see Karakaş, S., 45
Bentivoglio, M., see Mariotti, R., 87
Berman, N.E.J., see Sheffield, L.G., 165
Blennow, K., see Vanmechelen, E., 49
Boeve, B., see Baker, M., 147
Bol, J.G.J.M., see Van Dam, A.-M., 169
Bongers, A., see Stippich, C., 155
Borgulya, G., see Stippich, C., 155
Borst, A., Single, S., Local current spread in electrically compact neurons of the fly, 123
Bosco, G., see Giaquinta, G., 41
Bourre, J.M., see Francès, H., 223
Brandt, T., see Querner, V., 21
Brenière, Y., see Couillandre, A., 150
Brunt, D., Short, M., Trimble, M., Liu, S.M., Control strategies for initiation of human gait are influenced by accuracy constraints, 228
Bures, J., see Cimadevilla, J.M., 53
Butfiloski, E., see Petitto, J.M., 66

Cai, Z., see Xiao, F., 5
Carrié, I., see Francès, H., 223
Casabona, A., see Giaquinta, G., 41
Caserta, C., see Giaquinta, G., 41
Cassagne, C., see Knoll, A., 201
Chamberlain, M., see Johnson, M.P., 71
Checler, F., see Ancolio, K., 79
Chen, J., see Li, K.-C., 103
Chiba, A., see Kikuchi, M., 181
Cimadevilla, J.M., Fenton, A.A., Bures, J., Functional inactivation of dorsal hippocampus impairs active place avoidance in rats, 53
Colombaioni, L., see Tavarini, S., 185
Couillandre, A., Brenière, Y., Maton, B., Is human gait initiation program affected by a reduction of the postural basis?, 150
Cruccu, G., see Agostino, R., 115

Davidsson, P., see Vanmechelen, E., 49
Debray, M., see Francès, H., 223
de Joannon, A.C., Mancini, F., Landolfi, C., Soldo, L., Leta, A., Ruggieri, A., Mangano, G., Polenzani, L., Pinza, M., Milanese, C., Adenosine triphosphate affects interleukin -1β release by T98G glioblastoma cells through a purinoceptor-independent mechanism, 218
Dibas, M.I., Dillon, G.H., The central nervous system convulsant pentylenetetrazole stimulates γ-aminobutyric acid (GABA)-activated current in picrotoxin-resistant $GABA_A$ receptors in HEK293 cells, 193
Diener, H.-C., see Maschke, M., 213
Dieterich, M., see Querner, V., 21
Dillon, G.H., see Dibas, M.I., 193
Doi, Y., Peng, H., Kudo, H., Hamasaki, K., Fujimoto, S., Expression of α-calcitonin gene-related peptide in the enteric nervous system of rat small intestine, 33
Draï, P., see Francès, H., 223
Drepper, J., see Maschke, M., 213
Dresel, S.H., see Krause, K.-H., 107

Erzengin, Ö.U., see Karakaş, S., 45

Fenton, A.A., see Cimadevilla, J.M., 53
Flavin, M.P., see Zhao, G., 177
Fowler, S.C., see Stanford, J.A., 189
Francès, H., Draï, P., Smirnova, M., Carrié, I., Debray, M., Bourre, J.M., Nutritional (n-3) polyunsaturated fatty acids influence the behavioral responses to positive events in mice, 223
Fratkin, J.D., see Xiao, F., 5
Fu, T.-C., see Lin, T.-B., 37
Fu, W.Y., see Tang, H., 143
Fujii, Y., see Ikemoto, A., 99
Fujimoto, S., see Doi, Y., 33
Fujino, M., see Matsumoto, H., 234
Fujito, Y., see Kobayashi, S., 209
Fujiwara, K., see Matsumoto, H., 234
Fukaya, M., see Mori, F., 57
Funabashi, T., Shinohara, K., Mitsushima, D., Kimura, F., Estrogen

PII: S0304-3940(00)01104-6

increases arginine-vasopressin V1a receptor mRNA in the preoptic area of young but not of middle-aged female rats, 205
Furukawa, S., see Ikemoto, A., 99

Gábriel, R., Calretinin is present in serotonin- and γ-aminobutyric acid-positive amacrine cell populations in the retina of *Xenopus laevis*, 9
Garbay, B., see Knoll, A., 201
Garcia-Gil, M., see Tavarini, S., 185
Gaykema, R.P.A., see Van Dam, A.-M., 169
Giaquinta, G., Valle, M.S., Caserta, C., Casabona, A., Bosco, G., Perciavalle, V., Sensory representation of passive movement kinematics by rat's spinocerebellar Purkinje cells, 41
Goehler, L.E., see Van Dam, A.-M., 169
Graff-Radford, D., see Baker, M., 147
Graff-Radford, N., see Baker, M., 147

Hallbeck, M., Dynorphin mRNA-expressing neurons in the rat paraventricular hypothalamic nucleus project to the spinal cord, 161
Hallberg, A., see Ahveninen, J., 131
Haltia, M., see Baker, M., 147
Hamasaki, K., see Doi, Y., 33
Hara, Y., see Yamada, H., 111
Hardy, J., see Baker, M., 147
He, S., Levick, W.R., Spatial-temporal response characteristics of the ON-OFF direction selective ganglion cells in the rabbit retina, 25
Heiland, S., see Stippich, C., 155
Hempel, E., see Stippich, C., 155
Hietanen, M., see Ahveninen, J., 131
Hinuma, S., see Matsumoto, H., 234
Hirasawa, T., see Kotani, S., 1
Hisada, M., see Konno, K., 29
Horikoshi, Y., see Matsumoto, H., 234
Hoy, A., Leininger-Muller, B., Jolivalt, C., Siest, G., Effect of apolipoprotein E on cell viability in a human neuroblastoma cell line: influence of oxidation and lipid-association, 173
Huang, Z., see Petitto, J.M., 66
Hutton, M., see Baker, M., 147

Iannetti, G., see Agostino, R., 115
Ikemoto, A., Nitta, A., Furukawa, S., Ohishi, M., Nakamura, A., Fujii, Y., Okuyama, H., Dietary n-3 fatty acid deficiency decreases nerve growth factor content in rat hippocampus, 99
Imoto, K., see Yamada, H., 111
Inoue, K., see Matsumoto, H., 234
Ip, N.Y., see Tang, H., 143
Itagaki, Y., see Konno, K., 29
Ito, E., see Kobayashi, S., 209

Jääskeläinen, I.P., see Ahveninen, J., 131
Jenner, P., see McNaught, K.St.P., 61
Johnson, M.P., Kelly, G.M., Chamberlain, M., Blockade of pilocarpine-induced cerebellar phosphoinositide hydrolysis with metabotropic glutamate antagonists: evidence for an indirect control of granule cell glutamate release by muscarinic agonists, 71
Jolivalt, C., see Hoy, A., 173

Kahl, H., Wiggers, W., Influence of muscarinic ligands on the amplitudes of the evoked surface potential's late components in the optic tectum of the urodele *Plethodon jordani*, 17
Kakigi, R., see Kawakami, O., 135
Kanaki, K., Sato, K., Kashiwayanagi, M., Functional synapse formation between rat olfactory receptor neurons and olfactory bulb neurons in vitro, 76
Kaneoke, Y., see Kawakami, O., 135
Kapfer, D., see Stippich, C., 155
Karakaş, S., Erzengin, Ö.U., Başar, E., The genesis of human event-related responses explained through the theory of oscillatory neural assemblies, 45
Kashiwayanagi, M., see Kanaki, K., 76
Kaur, C., see Wang, D., 197
Kawai, N., see Konno, K., 29
Kawakami, O., Kaneoke, Y., Kakigi, R., Perception of apparent motion is related to the neural activity in the human extrastriate cortex as measured by magnetoencephalography, 135
Kawarai, T., see Orlacchio, A., 83
Kelly, G.M., see Johnson, M.P., 71
Kikuchi, M., Chiba, A., Aoki, K., Daily melatonin injections entrain the circadian change of synaptic ribbon number in the pineal organ of the Japanese newt, 181
Kimura, F., see Funabashi, T., 205
Kitada, C., see Matsumoto, H., 234
Knoll, A., Salles, J., Sargueil, F., Cassagne, C., Garbay, B., Peroxisomal beta-oxidation enzyme gene expression in the developing mouse brain, 201
Kobayashi, S., Ogawa, H., Fujito, Y., Ito, E., Nitric oxide suppresses fictive feeding response in *Lymnaea stagnalis*, 209
Kokmen, E., see Baker, M., 147
Kolb, F.P., see Maschke, M., 213
Konishi, K., see Yamada, H., 111
Konno, K., Hisada, M., Naoki, H., Itagaki, Y., Yasuhara, T., Nakata, Y., Miwa, A., Kawai, N., Molecular determinants of binding of a wasp toxin (PMTXs) and its analogs in the Na^+ channels proteins, 29
Kotani, S., Hirasawa, T., Suzuki, T., Sato, K., Sakakibara, M., Tokimasa, T., Mechanisms underlying the M-current block by barium in bullfrog sympathetic neurons, 1
Krafczyk, S., see Querner, V., 21
Krause, J., see Krause, K.-H., 107
Krause, K.-H., Dresel, S.H., Krause, J., Kung, H.F., Tatsch, K., Increased striatal dopamine transporter in adult patients with attention deficit hyperactivity disorder: effects of methylphenidate as measured by single photon emission computed tomography, 107
Kudo, H., see Doi, Y., 33
Kumon, Y., see Nakatsuka, H., 127
Kung, H.F., see Krause, K.-H., 107

Lachauer, S., see Maschke, M., 213
Landolfi, C., see de Joannon, A.C., 218
Leininger-Muller, B., see Hoy, A., 173
Leta, A., see de Joannon, A.C., 218
Levick, W.R., see He, S., 25
Li, K.-C., Zheng, J.-H., Chen, J., Involvement of spinal protein kinase C in induction and maintenance of both persistent spontaneous flinching reflex and contralateral heat hyperalgesia induced by subcutaneous bee venom in the conscious rat, 103
Li, Q., see Yang, Y., 119
Lin, T.-B., Fu, T.-C., Effect of electroacupuncture on blood pressure and adrenal nerve activity in anesthetized rats, 37
Liu, S.M., see Brunt, D., 228
Lukoyanov, N.V., Paula-Barbosa, M.M., A single high dose of dizocilpine

produces long-lasting impairment of the water maze performance in adult rats, 139

Maeda, N., see Nakatsuka, H., 127
Maier, S.F., see Van Dam, A.-M., 169
Mancini, F., see de Joannon, A.C., 218
Manfredi, M., see Agostino, R., 115
Mangano, G., see de Joannon, A.C., 218
Mariotti, R., Bentivoglio, M., Activation and response to axotomy of microglia in the facial motor nuclei of G93A superoxide dismutase transgenic mice, 87
Marquis, J.G., see Sheffield, L.G., 165
Maruyama, M., see Matsumoto, H., 234
Maschke, M., Kolb, F.P., Drepper, J., Peper, M., Lachauer, S., Müller, S.P., Diener, H.-C., Timmann, D., A possible role of the human cerebellum in conditioning of the jaw-opening reflex, 213
Massaro, A.M., see Orlacchio, A., 83
Maton, B., see Couillandre, A., 150
Matsumoto, H., Maruyama, M., Noguchi, J., Horikoshi, Y., Fujiwara, K., Kitada, C., Hinuma, S., Onda, H., Nishimura, O., Inoue, K., Fujino, M., Stimulation of corticotropin-releasing hormone-mediated adrenocorticotropin secretion by central administration of prolactin-releasing peptide in rats, 234
McNaught, K.St.P., Jenner, P., Dysfunction of rat forebrain astrocytes in culture alters cytokine and neurotrophic factor release, 61
Milanese, C., see de Joannon, A.C., 218
Mitsushima, D., see Funabashi, T., 205
Miwa, A., see Konno, K., 29
Mori, F., Fukaya, M., Abe, H., Wakabayashi, K., Watanabe, M., Developmental changes in expression of the three ryanodine receptor mRNAs in the mouse brain, 57
Mori, Y., see Yamada, H., 111
Müller, S.P., see Maschke, M., 213
Myllykangas, L., see Baker, M., 147

Näätänen, R., see Ahveninen, J., 131
Nagane, Y., see Tohgi, H., 91
Nakamura, A., see Ikemoto, A., 99
Nakata, Y., see Konno, K., 29
Nakatsuka, H., Ohta, S., Tanaka, J., Toku, K., Kumon, Y., Maeda, N., Sakanaka, M., Sakaki, S., Histochemical cytochrome c oxidase activity and caspase-3 in gerbil hippocampal CA1 neurons after transient forebrain ischemia, 127
Naoki, H., see Konno, K., 29
Necker, R., see Rosenberg, J., 13
Nishimura, O., see Matsumoto, H., 234
Nitta, A., see Ikemoto, A., 99
Noguchi, J., see Matsumoto, H., 234

Ogawa, H., see Kobayashi, S., 209
Ohishi, M., see Ikemoto, A., 99
Ohta, S., see Nakatsuka, H., 127
Okuyama, H., see Ikemoto, A., 99
Onda, H., see Matsumoto, H., 234
Orlacchio, A., Kawarai, T., Massaro, A.M., St George-Hyslop, P.H., Sorbi, S., Absence of linkage between familial amyotrophic lateral sclerosis and copper chaperone for the superoxide dismutase gene locus in two Italian pedigrees, 83

Paula-Barbosa, M.M., see Lukoyanov, N.V., 139
Pekkonen, E., see Ahveninen, J., 131
Peng, H., see Doi, Y., 33
Peper, M., see Maschke, M., 213
Perciavalle, V., see Giaquinta, G., 41
Perez-Tur, J., see Baker, M., 147
Petersen, R.C., see Baker, M., 147
Petitto, J.M., Streit, W.J., Huang, Z., Butfiloski, E., Schiffenbauer, J., Interleukin-2 gene deletion produces a robust reduction in susceptibility to experimental autoimmune encephalomyelitis in C57BL/6 mice, 66
Pinza, M., see de Joannon, A.C., 218
Polenzani, L., see de Joannon, A.C., 218
Polvikoski, T., see Baker, M., 147

Querner, V., Krafczyk, S., Dieterich, M., Brandt, T., Patients with somatoform phobic postural vertigo: the more difficult the balance task, the better the balance performance, 21

Rhodes, P.G., see Xiao, F., 5
Romaniello, A., see Agostino, R., 115
Rombouts, S.A.R.B., Barkhof, F., Witter, M.P., Scheltens, P., Unbiased whole-brain analysis of gray matter loss in Alzheimer's disease, 231
Rosenberg, J., Necker, R., Fine structural evidence of mechanoreception in spinal lumbosacral accessory lobes of pigeons, 13
Ruggieri, A., see de Joannon, A.C., 218

Sakaki, S., see Nakatsuka, H., 127
Sakakibara, M., see Kotani, S., 1
Sakanaka, M., see Nakatsuka, H., 127
Salles, J., see Knoll, A., 201
Sargueil, F., see Knoll, A., 201
Sartor, K., see Stippich, C., 155
Sato, K., see Kanaki, K., 76
Sato, K., see Kotani, S., 1
Scheltens, P., see Rombouts, S.A.R.B., 231
Schiffenbauer, J., see Petitto, J.M., 66
Sheffield, L.G., Marquis, J.G., Berman, N.E.J., Regional distribution of cortical microglia parallels that of neurofibrillary tangles in Alzheimer's disease, 165
Shinohara, K., see Funabashi, T., 205
Short, M., see Brunt, D., 228
Shuaib, A., see Yang, Y., 119
Siest, G., see Hoy, A., 173
Sillanaukee, P., see Ahveninen, J., 131
Single, S., see Borst, A., 123
Sjögren, M., see Vanmechelen, E., 49
Smirnova, M., see Francès, H., 223
Soldo, L., see de Joannon, A.C., 218
Sorbi, S., see Orlacchio, A., 83
St George-Hyslop, P.H., see Orlacchio, A., 83
Stanford, J.A., Fowler, S.C., Clozapine-like motor effects of the atypical antipsychotic risperidone in rats, 189
Stippich, C., Kapfer, D., Hempel, E., Borgulya, G., Bongers, A., Heiland, S., Sartor, K., Robust localization of the contralateral precentral gyrus in hemiparetic patients using the unimpaired ipsilateral hand: a clinical functional magnetic resonance imaging protocol, 155
Streit, W.J., see Petitto, J.M., 66
Sulkava, R., see Baker, M., 147
Suzuki, T., see Kotani, S., 1

Takahashi, Y., see Yamada, H., 111

Tanaka, J., see Nakatsuka, H., 127
Tang, H., Fu, W.Y., Ip, N.Y., Altered expression of tissue-type plasminogen activator and type 1 inhibitor in astrocytes of mouse cortex following scratch injury in culture, 143
Tatsch, K., see Krause, K.-H., 107
Tavarini, S., Colombaioni, L., Garcia-Gil, M., Sphingomyelinase metabolites control survival and apoptotic death in SH-SY5Y neuroblastoma cells, 185
Tienari, P., see Baker, M., 147
Tilders, F.J.H., see Van Dam, A.-M., 169
Timmann, D., see Maschke, M., 213
Tohgi, H., Utsugisawa, K., Nagane, Y., Protective effect of nicotine through nicotinic acetylcholine receptor α7 on hypoxia-induced membrane disintegration and DNA fragmentation of cultured PC12 cells, 91
Tokimasa, T., see Kotani, S., 1
Toku, K., see Nakatsuka, H., 127
Trimble, M., see Brunt, D., 228
Truini, A., see Agostino, R., 115
Tsai, C.-L., see Wang, L.-H., 95

Uéda, K., see Ancolio, K., 79
Utsugisawa, K., see Tohgi, H., 91

Valle, M.S., see Giaquinta, G., 41
Van Dam, A.-M., Bol, J.G.J.M., Gaykema, R.P.A., Goehler, L.E., Maier, S.F., Watkins, L.R., Tilders, F.J.H., Vagotomy does not inhibit high dose lipopolysaccharide-induced interleukin-1β immunoreactivity in rat brain and pituitary gland, 169
Van Der Perre, B., see Vanmechelen, E., 49
Van Kerschaver, E., see Vanmechelen, E., 49
Vanmechelen, E., Davidsson, P., Van Kerschaver, E., Van Der Perre, B., Sjögren, M., Andreasen, N., Blennow, K., Quantification of tau phosphorylated at threonine 181 in human cerebrospinal fluid: a sandwich ELISA with a synthetic phosphopeptide for standardization, 49
Verkoniemmi, A., see Baker, M., 147

Wakabayashi, K., see Mori, F., 57
Wakamori, M., see Yamada, H., 111
Wang, D., Kaur, C., Response of epiplexus cells associated with the choroid plexus in the lateral ventricles of adult rats to high altitude exposure, 197
Wang, L.-H., Tsai, C.-L., Temperature affects the development of central neurotransmitter systems of tilapia, *Oreochromis mossambicus*, 95
Watanabe, M., see Mori, F., 57
Watkins, L.R., see Van Dam, A.-M., 169
Wavrant DeVrièze, F., see Baker, M., 147
Wiggers, W., see Kahl, H., 17
Witter, M.P., see Rombouts, S.A.R.B., 231

Xiao, F., Fratkin, J.D., Rhodes, P.G., Cai, Z., Reduced nitric oxide is involved in prenatal ischemia-induced tolerance to neonatal hypoxic-ischemic brain injury in rats, 5

Yamada, H., Wakamori, M., Hara, Y., Takahashi, Y., Konishi, K., Imoto, K., Mori, Y., Spontaneous single-channel activity of neuronal TRP5 channel recombinantly expressed in HEK293 cells, 111
Yang, Y., Li, Q., Ahmad, F., Shuaib, A., Survival and histological evaluation of therapeutic window of post-ischemia treatment with magnesium sulfate in embolic stroke model of rat, 119
Yasuhara, T., see Konno, K., 29

Zhao, G., Flavin, M.P., Differential sensitivity of rat hippocampal and cortical astrocytes to oxygen-glucose deprivation injury, 177
Zheng, J.-H., see Li, K.-C., 103